

# Hearth Products Eligible for Tax Credit

## Manufacturer's Certificate from England's Stove Works, Inc.

The American Recovery and Reinvestment Act of 2009 (Recovery Act) provides a 30% consumer tax credit (up to \$1,500) for products that meet the IRS guidelines. This applies to products purchased in 2009 and 2010. For more information, visit [www.irs.gov/pub/irs-drop/n-09-53.pdf](http://www.irs.gov/pub/irs-drop/n-09-53.pdf) or [www.hpba.org](http://www.hpba.org). Homeowners should consult their tax advisor to determine whether they qualify for any potential tax credits, and for information on filing for this particular credit.


The following products are "qualified energy property" because they are biomass burning stoves for purposes of Section 25C of the Internal Revenue Code:

*Englander:* Models 10-CPM Multi-Fuel Stove; 13-NC Wood Stove; 13-NCH Wood Stove; 13-NCI Wood Insert; 30-NC Wood Stove; 30-NCH Wood Stove; 25-EP Pellet Stove; 25-EPI Pellet Insert; 25-PDV Pellet Stove; 25-PDVC Pellet Stove; 25-PAH Pellet Stove

*Summers Heat:* Models 49-SHCPM Multi-Fuel Stove; 49-SHCPML Multi-Fuel Stove; 50-SNC13 Wood Stove; 50-SNC13LC Wood Stove; 50-SNC13I Wood Insert; 50-SNC30 Wood Stove; 50-SNC30LC Wood Stove; 55-SHPEP Pellet Stove; 55-SHPEPL Pellet Stove; 55-SHPEPI Pellet Insert; 55-SHP10 Pellet Stove; 55-SHP10L Pellet Stove; 55-SHP22 Pellet Stove; 55-SHP22L Pellet Stove; 55-SHPAH Pellet Stove; 55-SHPAHL Pellet Stove

*Timber Ridge:* Models 49-TRCPM Multi-Fuel Stove; 50-TNC13 Wood Stove; 50-TNC13I Wood Insert; 50-TNC30 Wood Stove; 55-TRPEP Pellet Stove; 55-TRPEPI Pellet Insert; 55-TRP10 Pellet Stove; 55-TRP22 Pellet Stove; 55-TRPAH Pellet Stove

Under penalty of perjury, I declare that I have examined this certification statement, and to the best of my knowledge and belief, the facts are true, correct and complete.



Todd Hudson  
VP Marketing & Communications



Headquarters:  
589 S. Five Forks Rd.  
Monroe, VA 24574

Issued June 3, 2009

Please Note:  
More models will be  
added to this list as  
testing is updated.